

BROCAS

Broca Max

Giro / Percusión

Broca								
COD	Descrip. (mm)	Øe (mm)	Øe (")	Lt (mm)	Lu (mm)	Material de Fabricación	Punta	Tipo de Vástago
M140-370	Ø14 x 340	14	9/16	340	260	Acero	Widia Doble - Cruz	Máx.
M160-370	Ø16 x 340	16	5/8	340	260	Acero	Widia Doble - Cruz	Máx.
M180-370	Ø18 x 340	18	23/32	340	260	Acero	Widia Doble - Cruz	Máx.
M200-370	Ø20 x 340	20	25/32	340	260	Acero	Widia Doble - Cruz	Máx.
M220-370	Ø22 x 340	22	7/8	340	260	Acero	Widia Doble - Cruz	Máx.
M250-370	Ø25 x 340	25	1	340	260	Acero	Widia Doble - Cruz	Máx.
M280-370	Ø28 x 340	28	1 3/32	340	260	Acero	Widia Doble - Cruz	Máx.
M300-370	Ø30 x 340	30	1 3/16	340	260	Acero	Widia Doble - Cruz	Máx.
M320-370	Ø32 x 340	32	1 1/4	340	260	Acero	Widia Doble - Cruz	Máx.
M350-370	Ø35 x 340	35	1 3/8	400	320	Acero	Widia Doble - Cruz	Máx.
M380-370	Ø38 x 340	38	1 1/2	400	320	Acero	Widia Doble - Cruz	Máx.
M400-370	Ø40 x 340	40	1 9/16	400	320	Acero	Widia Doble - Cruz	Máx.
M160-570	Ø16 x 540	16	5/8	540	460	Acero	Widia Doble - Cruz	Máx.
M180-570	Ø18 x 540	18	23/32	540	460	Acero	Widia Doble - Cruz	Máx.
M200-570	Ø20 x 540	20	25/32	540	460	Acero	Widia Doble - Cruz	Máx.
M220-570	Ø22 x 540	22	7/8	540	460	Acero	Widia Doble - Cruz	Máx.
M250-570	Ø25 x 540	25	1	540	460	Acero	Widia Doble - Cruz	Máx.
M280-570	Ø28 x 540	28	1 3/32	540	460	Acero	Widia Doble - Cruz	Máx.
M300-570	Ø30 x 540	30	1 3/16	540	460	Acero	Widia Doble - Cruz	Máx.
M320-570	Ø32 x 540	32	1 1/4	540	460	Acero	Widia Doble - Cruz	Máx.
M350-570	Ø35 x 600	35	1 3/8	600	520	Acero	Widia Doble - Cruz	Máx.
M380-570	Ø38 x 600	38	1 1/2	600	520	Acero	Widia Doble - Cruz	Máx.
M400-570	Ø40 x 600	40	1 9/16	600	520	Acero	Widia Doble - Cruz	Máx.



Øe Diámetro exterior
Lu Largo útil
Lt Largo total

AD-MX-PL

Adaptador encastre SDS MAX a SDS PLUS



Ver video online



BROCA SDS PLUS Ø de 4 a 12mm

Broca SDS Plus - Giro


Broca								
COD	Descrip. (mm)	Øe (mm)	Øe (")	Lt (mm)	Lu (mm)	Material de Fabricación	Punta	Tipo de Vástago
P040-110	Ø 4 x 110	4	5/32	110	50	Acero	Inserto Widia Simple	SDS Plus
P050-110	Ø 5 x 110	5	3/16	110	50	Acero	Inserto Widia Simple	SDS Plus
P050-160	Ø 5 x 160	5	3/16	160	100	Acero	Inserto Widia Simple	SDS Plus
P055-110	Ø 5,5 x 110	5,5	7/32	110	50	Acero	Inserto Widia Simple	SDS Plus
P055-160	Ø 5,5 x 110	5,5	7/32	160	100	Acero	Inserto Widia Simple	SDS Plus
P060-110	Ø 6 x 110	6	15/64	110	50	Acero	Inserto Widia Simple	SDS Plus
P060-160	Ø 6 x 160	6	15/64	160	100	Acero	Inserto Widia Simple	SDS Plus
P060-210	Ø 6 x 210	6	15/64	210	150	Acero	Inserto Widia Simple	SDS Plus
P060-260	Ø 6 x 260	6	15/64	260	200	Acero	Inserto Widia Simple	SDS Plus
P065-110	Ø 6,5 x 110	6,5	1/4	110	50	Acero	Inserto Widia Simple	SDS Plus
P065-160	Ø 6,5 x 160	6,5	1/4	160	100	Acero	Inserto Widia Simple	SDS Plus
P070-110	Ø 7 x 110	7	9/32	110	50	Acero	Inserto Widia Simple	SDS Plus
P070-160	Ø 7 x 160	7	9/32	160	100	Acero	Inserto Widia Simple	SDS Plus
P080-110	Ø 8 x 110	8	5/16	110	50	Acero	Inserto Widia Simple	SDS Plus
P080-160	Ø 8 x 160	8	5/16	160	100	Acero	Inserto Widia Simple	SDS Plus
P080-210	Ø 8 x 210	8	5/16	210	150	Acero	Inserto Widia Simple	SDS Plus
P080-260	Ø 8 x 260	8	5/16	260	200	Acero	Inserto Widia Simple	SDS Plus
P080-350	Ø 8 x 350	8	5/16	350	290	Acero	Inserto Widia Simple	SDS Plus
P080-450	Ø 8 x 450	8	5/16	450	390	Acero	Inserto Widia Simple	SDS Plus
P100-110	Ø 10 x 110	10	13/32	110	50	Acero	Inserto Widia Simple	SDS Plus
P100-160	Ø 10 x 160	10	13/32	160	100	Acero	Inserto Widia Simple	SDS Plus
P100-210	Ø 10 x 210	10	13/32	210	150	Acero	Inserto Widia Simple	SDS Plus
P100-260	Ø 10 x 260	10	13/32	260	200	Acero	Inserto Widia Simple	SDS Plus
P100-350	Ø 10 x 350	10	13/32	350	290	Acero	Inserto Widia Simple	SDS Plus
P100-450	Ø 10 x 450	10	13/32	450	390	Acero	Inserto Widia Simple	SDS Plus
P100-450	Ø 10 x 600	10	13/32	600	540	Acero	Inserto Widia Simple	SDS Plus
P120-160	Ø 12 x 160	12	15/32	160	100	Acero	Inserto Widia Simple	SDS Plus
P120-210	Ø 12 x 210	12	15/32	210	150	Acero	Inserto Widia Simple	SDS Plus
P120-260	Ø 12 x 260	12	15/32	260	200	Acero	Inserto Widia Simple	SDS Plus
P120-350	Ø 12 x 350	12	15/32	350	290	Acero	Inserto Widia Simple	SDS Plus
P120-450	Ø 12 x 450	12	15/32	450	390	Acero	Inserto Widia Simple	SDS Plus



Øe Diámetro exterior

Lu Largo útil

Lt Largo total



BROCA SDS PLUS Ø de 14 a 25mm

Broca SDS Plus - Giro

Broca								
COD	Descrip. (mm)	Øe (mm)	Øe (")	Lt (mm)	Lu (mm)	Material de Fabricación	Punta	Tipo de Vástago
P140-160	Ø 14 x 160	14	9/16	160	100	Acero	Inserto Widia Simple	SDS Plus
P140-210	Ø 14 x 210	14	9/16	210	150	Acero	Inserto Widia Simple	SDS Plus
P140-260	Ø 14 x 260	14	9/16	260	200	Acero	Inserto Widia Simple	SDS Plus
P140-350	Ø 14 x 350	14	9/16	350	290	Acero	Inserto Widia Simple	SDS Plus
P140-450	Ø 14 x 450	14	9/16	450	390	Acero	Inserto Widia Simple	SDS Plus
P140-600	Ø 14 x 600	14	9/16	600	540	Acero	Inserto Widia Simple	SDS Plus
P160-160	Ø 16 x 160	16	5/8	160	100	Acero	Inserto Widia Simple	SDS Plus
P160-210	Ø 16 x 210	16	5/8	210	150	Acero	Inserto Widia Simple	SDS Plus
P160-260	Ø 16 x 260	16	5/8	260	200	Acero	Inserto Widia Simple	SDS Plus
P160-450	Ø 16 x 450	16	5/8	450	390	Acero	Inserto Widia Simple	SDS Plus
P160-600	Ø 16 x 600	16	5/8	600	540	Acero	Inserto Widia Simple	SDS Plus
P180-210	Ø 18 x 210	18	23/32	210	150	Acero	Inserto Widia Simple	SDS Plus
P180-260	Ø 18 x 260	18	23/32	260	200	Acero	Inserto Widia Simple	SDS Plus
P180-450	Ø 18 x 450	18	23/32	450	390	Acero	Inserto Widia Simple	SDS Plus
P180-600	Ø 18 x 600	18	23/32	600	540	Acero	Inserto Widia Simple	SDS Plus
P200-260	Ø 20 x 260	20	25/32	260	200	Acero	Inserto Widia Simple	SDS Plus
P200-450	Ø 20 x 450	20	25/32	450	390	Acero	Inserto Widia Simple	SDS Plus
P200-600	Ø 20 x 600	20	25/32	600	540	Acero	Inserto Widia Simple	SDS Plus
P220-260	Ø 22 x 260	22	7/8	260	200	Acero	Inserto Widia Simple	SDS Plus
P220-450	Ø 22 x 450	22	7/8	450	390	Acero	Inserto Widia Simple	SDS Plus
P220-600	Ø 22 x 600	22	7/8	600	540	Acero	Inserto Widia Simple	SDS Plus
P240-260	Ø 24 x 260	24	15/16	260	200	Acero	Inserto Widia Simple	SDS Plus
P240-450	Ø 24 x 450	24	15/16	450	390	Acero	Inserto Widia Simple	SDS Plus
P240-600	Ø 24 x 600	24	15/16	600	540	Acero	Inserto Widia Simple	SDS Plus
P250-260	Ø 25 x 260	25	1	260	200	Acero	Inserto Widia Simple	SDS Plus
P250-450	Ø 25 x 450	25	1	450	390	Acero	Inserto Widia Simple	SDS Plus
P250-600	Ø 25 x 600	25	1	600	540	Acero	Inserto Widia Simple	SDS Plus



Øe Diámetro exterior
Lu Largo útil
Lt Largo total

